

Modu³ do logowania razem z forum

Autor: szymo93 - 2008/03/21 12:36

Witam!

Mam trocê dziwny problem otó¿ mam pomost do forum Joomla!-przemo. I za³ata³em domy¶lny modu³ logowania i wszystko dzia³a jak nale¿y, ale chcê korzystaæ z innego modu³u logowania i tu zaczyna siê problem. Mam modu³ do logowania Core Design Login Form 1.0.1.pl i chcia³bym ¿eby loguj±c siê tym modu³em logowa³o siê tak¿e na forum(tak jak jest w domy¶lnym module logowania). Próbowa³em zmieniaæ kod PHP tego modu³u ale nie bardzo mi to wychodzi:blush: Móg³by mi kto¶ pomóc? By³bym bardzo wdziêczny.

Plik PHP z modu³em Core Design Login Form 1.0.1.pl (/modules/mod_cdlogin.php)

```
<?php
/**
 * Core Design Login Module based on Highslide JS, version 1.1.0, author Daniel Rataj
 *
 * @copyright Copyright (C) 2005 Open Source Matters. All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * Joomla! is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See COPYRIGHT.php for copyright notices and details.
 */

// no direct access
defined( '_VALID_MOS' ) or die( 'Restricted access' );

global $mosConfig_frontend_login, $mosConfig_live_site;

if ( $mosConfig_frontend_login != NULL && ($mosConfig_frontend_login === 0 || $mosConfig_frontend_login === '0') ) {
return;
}
/*****
funkcja mosHash - mieszanie
*****/
if (!function_exists('mosHash')) {
function mosHash( $seed ) {
return md5( $GLOBALS . md5( $seed ) );
}
}
/*****
funkcja josSpoofValue - antyoszukiwacz
*****/
if (!function_exists('josSpoofValue')) {
function josSpoofValue($salt=NULL) {
global $mainframe;

if ($salt) {
if ( $salt == 1 ) {
$random = date( 'Ymd' );
} else {
$random = $salt . date( 'Ymd' );
}
} else {
$random = date( 'dmY' );
}
// the prefix ensures that the hash is non-numeric
// otherwise it will be intercepted by globals.php
$validate = 'j' . mosHash( $mainframe->getCfg( 'db' ) . $random );

return $validate;
}
}

// url of current page that user will be returned to after login
```

```

if ($query_string = mosGetParam( $_SERVER, 'QUERY_STRING', " )) {
$return = 'index.php?' . $query_string;
} else {
$return = 'index.php';
}

function cd_ifmambotload() {
global $database;

// load Highslide options from database
$query = "SELECT id, published"
. "\n FROM #__mambots"
. "\n WHERE element = 'coredesign'"
. "\n AND folder = 'system'"
;
$database->setQuery( $query );
$id = $database->loadResult();
$mambot = new mosMambot( $database );
$mambot->load( $id );
$params = new mosParameters( $mambot->params );

$param = $params->get( 'use_html', '0' );

if( !$mambot->published )
echo '<div style="color: red">Core Design mambot nie zostaB opublikowany. </div>';
elseif ( !$param )
echo '<div style="color: red">Core Design mambot nie zostaB aktywowany. Sprawdź ustawienia bota!!! </div>';
return;
}

$registration_enabled = $mainframe->getConfig( 'allowUserRegistration' );
$message_login = $params->def( 'login_message', 0 );
$message_logout = $params->def( 'logout_message', 0 );
$login = $params->def( 'login', $return );
$logout = $params->def( 'logout', $return );
$name = $params->def( 'name', 1 );
$greeting = $params->def( 'greeting', 1 );
$pretext = $params->get( 'pretext' );
$posttext = $params->get( 'posttext' );
$posttext_style = $params->get( 'posttext_style', 0 );

//Highslide option
$moduletitle = $params->get( 'moduletitle' );
$closelabel = $params->get( 'closelabel' );
$mod_cdlogin_createaccount = $params->get( 'mod_cdlogin_createaccount' );
$mod_cdlogin_lostpassword = $params->get( 'mod_cdlogin_lostpassword' );
$mod_cdlogin_confirmlogout = $params->get( 'mod_cdlogin_confirmlogout' );
$mod_cdlogin_displayauthor = $params->get( 'mod_cdlogin_displayauthor', 1 );

$posttext_style = 1;
?>
<?php if ( $my->id ) {
// Logout output
// ie HTML when already logged in and trying to logout
if ( $name ) {
$name = $my->name;
} else {
$name = $my->username;
} ?>

<?php cd_ifmambotload(); ?>

<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>

```

```
<div class="mod_cdlogin-logout-greeting">

<?php
if ( $greeting ) {
echo _HI;
echo "<strong>";
echo $name;
echo "</strong>";
}
?>

</div>
<div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-logoutform' } )" class="mod_cdlogin-logouttitle" title="<?php echo _BUTTON_LOGOUT; ?>">
<span> </span></a>
<div class="highslide-html-content" id="highslide-html-logoutform">
<div class="highslide-html-content-header">
<div class="highslide-move" title="">
<a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closelabel ?>"><?php echo $closelabel ?></a>
</div>
</div>
<div class="highslide-body">
<p class="mod_cdlogin-bold"><?php echo $mod_cdlogin_confirmlogout ?> </p>
<div class="mod_cdlogin-logoutform"><form action="<?php echo sefRelToAbs( 'index.php?option=logout' ); ?>"
method="post" name="logout">
<input type="submit" name="Submit" class="mod_cdlogin-logoutbutton" title="<?php echo _BUTTON_LOGOUT; ?>"
value="<?php echo _BUTTON_LOGOUT; ?>" />

<input type="hidden" name="option" value="logout" />
<input type="hidden" name="op2" value="logout" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $logout ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_logout ); ?>" />
</form>
</div>
</div>
</div>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>
<?php
} else {
// Login output
// ie HTML when not logged in and trying to login
// used for spoof hardening
$validate = josSpoofValue(1);
?>
<?php cd_ifmambotload(); ?>
<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>
<div class="mod_cdlogin-login-box">
<div class="mod_cdlogin-login-mini"></div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-loginform' } )" title="<?php echo $moduletitle ?>"><?php echo $moduletitle ?> </a>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>

<div class="highslide-html-content" id="highslide-html-loginform">
<div class="highslide-html-content-header">
<div class="highslide-move" title="">
```

```

<a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closelabel ?>"><?php echo $closelabel
?></a>
</div>
</div>
<div class="highslide-body">

<form action="<?php echo sefRelToAbs( 'index.php' ); ?>" method="post" name="loginForm" >
<?php
echo $pretext;
?>
<table width="100%" border="0" cellpadding="0" cellspacing="0" align="center">
<tr>
<td>
<label for="mod_login_username">
<?php echo _USERNAME; ?>
</label>
<br />
<input name="username" id="mod_cdlogin_username" type="text" class="inputbox" alt="username" size="10" />
<br />
<label for="mod_login_password">
<?php echo _PASSWORD; ?>
</label>
<br />
<input type="password" id="mod_cdlogin_password" name="passwd" class="inputbox" size="10" alt="password" />
<br />
<div class="mod_cdlogin-form-submit">
<div class="mod_cdlogin-form-input">
<input type="checkbox" name="remember" id="mod_cdlogin_remember" class="inputbox" value="yes" alt="<?php echo
_REMEMBER_ME; ?>" title="<?php echo _REMEMBER_ME; ?>" />
<label for="mod_login_remember">
<?php echo _REMEMBER_ME; ?>
</label>
</div>
<input type="submit" name="Submit" class="mod_cdlogin-loginbutton" title="<?php echo _BUTTON_LOGIN; ?>"
value="" />
</div>
</td>
</tr>
<tr>
<td>
<div style="text-align: center; padding-top: 10px">
<div style="margin: 0 auto">
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=lostPassword' ); ?>" title="<?php
echo $mod_cdlogin_lostpassword; ?>" class="mod_cdlogin-lostpassword"><?php echo $mod_cdlogin_lostpassword; ?>
</a><span style="padding-left: 15px">
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=register' ); ?>" title="<?php echo
$mod_cdlogin_createaccount; ?>" class="mod_cdlogin-createaccount"><?php echo $mod_cdlogin_createaccount; ?>
</a>
</div>
</div>
</td>
</tr>
<?php
if ( $registration_enabled ) {
?>
<tr>
<td>

</td>
</tr>
<?php
}
?>
</table>
<div class="mod_imglogin"></div>

```

```

<?php
if ($posttext != "") {
if ($posttext_style == 1) {
?>
<div style="border: 1px solid rgb(128, 128, 128); padding: 2px;">
<?php echo $posttext; ?>
</div>
<?php
} else {
echo $posttext;
}
}
?>

<input type="hidden" name="option" value="login" />
<input type="hidden" name="op2" value="login" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $login ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_login ); ?>" />
<input type="hidden" name="force_session" value="1" />
<input type="hidden" name="<?php echo $validate; ?>" value="1" />
</form>
</div>
<?php if ($mod_cdlogin_displayauthor) { ?>
<div class="mod_cdtitle-designed">Designed by <a href="http://www.communicationpro.org"
title="http://www.communicationpro.org" target="_blank">www.communicationpro.org</a> </div>
<?php } return; ?>
</div>
<?php
}
?>

```

I plik z domyŹnym modu³em logowania po za³ataniu:

```

<?php
/**
 * @version $Id: mod_login.php 7211 2007-04-29 02:26:51Z robs $
 * @package Joomla
 * @copyright Copyright (C) 2005 Open Source Matters. All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * Joomla! is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See COPYRIGHT.php for copyright notices and details.
 */

// no direct access
defined( '_VALID_MOS' ) or die( 'Restricted access' );

global $mosConfig_frontend_login;

if ( $mosConfig_frontend_login != NULL && ($mosConfig_frontend_login === 0 || $mosConfig_frontend_login === '0') ) {
return;
}

// url of current page that user will be returned to after login
if ($query_string = mosGetParam( $_SERVER, 'QUERY_STRING', '' )) {
$return = 'index.php?' . $query_string;
} else {
$return = 'index.php';
}

$registration_enabled = $mainframe->getCfg( 'allowUserRegistration' );

```

```
$message_login = $params->def( 'login_message', 0 );
$message_logout = $params->def( 'logout_message', 0 );
$login = $params->def( 'login', $return );
$logout = $params->def( 'logout', $return );
$name = $params->def( 'name', 1 );
$greeting = $params->def( 'greeting', 1 );
$pretext = $params->get( 'pretext' );
$posttext = $params->get( 'posttext' );
```

```
if ( $my->id ) {
// Logout output
// ie HTML when already logged in and trying to logout
if ( $name ) {
$name = $my->name;
} else {
$name = $my->username;
}
?>
```

```
<?php
//joomla<->przemo start
$query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
$databse->setQuery( $query );
$forum_path_inlcude = $databse->loadResult(); ?>
<form action="<?php echo $forum_path_inlcude; ?>/login.php" name="login" method="post" >
<?php //joomla<->przemo end ?>
```

```
<?php
if ( $greeting ) {
echo _HI;
echo $name;
}
?>
<br />
```

```
<div align="center">
<input type="submit" name="Submit" class="button" value="<?php echo _BUTTON_LOGOUT; ?>" />
</div>
```

```
<input type="hidden" name="logout_phpbb" value="yes" />
<input type="hidden" name="option" value="logout" />
<input type="hidden" name="op2" value="logout" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $logout ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_logout ); ?>" />
</form>
<?php
} else {
// Login output
// ie HTML when not logged in and trying to login
// used for spoof hardening
$validate = josSpoofValue(1);
?>
```

```
<?php //joomla<->przemo start
$query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
$databse->setQuery( $query );
$forum_path_inlcude = $databse->loadResult(); ?>
<form action="<?php echo $forum_path_inlcude; ?>/login.php" method="post" name="login" >
<?php //joomla<->przemo end ?>
```

```
<?php
echo $pretext;
?>
```

```

<table width="100%" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td>
<label for="mod_login_username">
<?php echo _USERNAME; ?>
</label>
<br />
<input name="username" id="mod_login_username" type="text" class="inputbox" alt="<?php echo _USERNAME; ?>"
size="10" />
<br />
<label for="mod_login_password">
<?php echo _PASSWORD; ?>
</label>
<br />
<input type="password" name="password" class="inputbox" size="10" alt="password" />
<input type="hidden" id="mod_login_password" name="passwd" class="inputbox" size="10" alt="<?php echo
_PASSWORD; ?>" />
<br />
<input type="checkbox" name="remember" id="mod_login_remember" class="inputbox" value="yes" alt="<?php echo
_REMEMBER_ME; ?>" />
<label for="mod_login_remember">
<?php echo _REMEMBER_ME; ?>
</label>
<br />
<input type="submit" class="mainoption" name="login" value="Login" />
</td>
</tr>
<tr>
<td>
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=lostPassword' ); ?>">
<?php echo _LOST_PASSWORD; ?></a>
</td>
</tr>
<?php
if ( $registration_enabled ) {
?>
<tr>
<td>
<?php echo _NO_ACCOUNT; ?>
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=register' ); ?>">
<?php echo _CREATE_ACCOUNT; ?></a>
</td>
</tr>
<?php
}
?>
</table>
<?php
echo $posttext;
?>

<input type="hidden" name="option" value="login" />
<input type="hidden" name="op2" value="login" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $login ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_login ); ?>" />
<input type="hidden" name="force_session" value="1" />
<input type="hidden" name="<?php echo $validate; ?>" value="1" />
</form>
<?php
}
?>

```

Z góry wielkie dzięki!
Pozdrawiam

Odp:Modu³ do logowania razem z forum

Autor: Jokris - 2008/03/21 18:43

B) W ten Wielki Piątek mógłbyś uzupełnić stopkę, bo ja właśnie nie 2 godziny, z przerwami na kawę próbowałem adoptować modu³ do współpracy z Forum phpBB. A mógłbym w tym czasie malować pisanki. Daj z siebie chociaż tyle.:cheer:
B) Jak pisałem wyżej, zmodyfikowałem nieco modu³ Core Design Login Form 1.0.1.pl. Poniżej dam Ci kod, abyś prześledził sobie co zmieniłem. Przyznam się szczerze, że nie testowałem go przy zainstalowanym Forum phpBB, bo nie mam go, ale pracuje już ta zmodyfikowana wersja modu³u na mojej stronie. Cała rzecz polega na tym, że modu³ sprawdza, czy jest zainstalowany pomost, komponent com_j-p, i dopiero przełącza się w tryb współpracy z mostkiem. Tak że, pozostaje jedynie Ci przetestować modu³. Zrób kopię oryginału, i nadpisz plikiem z załącznika. Nie kopiuj kodu z pola poniżej. Nie należy tego robić przy takiej ilości kodu, bo Forum FireBoard przełamuje linie, i miałyby na stronie błądy. Poniżej kod, a pod nim plik do pobrania. Odpisz czy działa, to wówczas podmienię go w plikowni. Wprowadziłem kilka zmian w pliku XML modu³u, ale na razie nie ma to znaczenia dla pracy Twojego modu³u. Pozdrawiam. Jokris.

```
<?php
/**
 * Core Design Login Module based on Highslide JS, version 1.1.0, author Daniel Rataj
 *
 * @copyright Copyright (C) 2005 Open Source Matters. All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * Joomla! is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See COPYRIGHT.php for copyright notices and details.
 */

// no direct access
defined( '_VALID_MOS' ) or die( 'Restricted access' );

global $mosConfig_frontend_login, $mosConfig_live_site;

if ( $mosConfig_frontend_login != NULL && ( $mosConfig_frontend_login === 0 || $mosConfig_frontend_login === '0') ) {
    return;
}
/*****
funkcja mosHash - mieszanie
*****/
if (!function_exists('mosHash')) {
function mosHash( $seed ) {
    return md5( $GLOBALS . md5( $seed ) );
}
}
/*****
funkcja josSpoofValue - antyoszukiwacz
*****/
if (!function_exists('josSpoofValue')) {
function josSpoofValue($salt=NULL) {
    global $mainframe;

    if ($salt) {
        if ( $salt == 1 ) {
            $random = date( 'Ymd' );
        } else {
            $random = $salt . date( 'Ymd' );
        }
    } else {
        $random = date( 'dmY' );
    }
}
```

```

// the prefix ensures that the hash is non-numeric
// otherwise it will be intercepted by globals.php
$validate = 'j' . mosHash( $mainframe->getCfg( 'db' ) . $random );

return $validate;
}
}

// url of current page that user will be returned to after login
if ($query_string = mosGetParam( $_SERVER, 'QUERY_STRING', '' )) {
    $return = 'index.php?' . $query_string;
} else {
    $return = 'index.php';
}

function cd_ifmambotload() {
    global $database;

    // load Highslide options from database
    $query = "SELECT id, published"
        . "\n FROM #__mambots"
        . "\n WHERE element = 'coredesign'"
        . "\n AND folder = 'system'"
        ;
    $database->setQuery( $query );
    $id = $database->loadResult();
    $mambot = new mosMambot( $database );
    $mambot->load( $id );
    $params = new mosParameters( $mambot->params );

    $param = $params->get( 'use_html', '0' );

    if( !$mambot->published )
        echo '<div style="color: red">Core Design mambot nie zostaB opublikowany. </div>';
    elseif ( !$param )
        echo '<div style="color: red">Core Design mambot nie zostaB aktywowany. Sprawdz ustawienia bota!!! </div>';
    return;
}

$registration_enabled = $mainframe->getCfg( 'allowUserRegistration' );
$message_login = $params->def( 'login_message', 0 );
$message_logout = $params->def( 'logout_message', 0 );
$login = $params->def( 'login', $return );
$logout = $params->def( 'logout', $return );
$name = $params->def( 'name', 1 );
$greeting = $params->def( 'greeting', 1 );
$pretext = $params->get( 'pretext' );
$posttext = $params->get( 'posttext' );
$posttext_style = $params->get( 'posttext_style', 1 );
$colorborder = $params->get( 'colorborder', '#808080' );

//Highslide option
$moduletitle = $params->get( 'moduletitle' );
$closelabel = $params->get( 'closelabel' );
$mod_cdlogin_createaccount = $params->get( 'mod_cdlogin_createaccount' );
$mod_cdlogin_lostpassword = $params->get( 'mod_cdlogin_lostpassword' );
$mod_cdlogin_confirmlogout = $params->get( 'mod_cdlogin_confirmlogout' );
$mod_cdlogin_displayauthor = $params->get( 'mod_cdlogin_displayauthor', 1 );
$phpbb_mostpath = $GLOBALS['administrator/components/com_j-p/admin.j-p.php'];
?>
<?php if ( $my->id ) {
// Logout output
// ie HTML when already logged in and trying to logout
if ( $name ) {
    $name = $my->name;

```

```

} else {
    $name = $my->username;
} ?>

<?php cd_ifmambotload(); ?>

<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-greeting">

    <?php
    if ( $greeting ) {
        echo _HI;
        echo "<strong>";
        echo $name;
        echo "</strong>";
    }
    ?>

</div>
<div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-logoutform' } )" class="mod_cdlogin-
logouttitle" title="<?php echo _BUTTON_LOGOUT; ?>">
<span> </span></a>
<div class="highslide-html-content" id="highslide-html-logoutform">
    <div class="highslide-html-content-header">
        <div class="highslide-move" title="">
            <a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closeslabel ?>"><?php echo $closeslabel
?></a>
        </div>
    </div>
    <div class="highslide-body">
        <p class="mod_cdlogin-bold"><?php echo $mod_cdlogin_confirmlogout ?> </p>
        <div class="mod_cdlogin-logoutform">
            <?php
            /*****
            sprawdzamy istnienie komponentu com_j-p
            *****/
            if (file_exists($phpbb_mostpath)) {
                /*****
                joomla<->przemo start
                *****/
                $query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
                $database->setQuery( $query );
                $forum_path_include = $database->loadResult(); ?>
                <form action="<?php echo $forum_path_include; ?>/login.php" name="login" method="post" >
            <?php
                $pole_phpbb = '<input type="hidden" name="logout_phpbb" value="yes" />';
                /*****
                joomla<->przemo end
                *****/
            } else {
                $pole_phpbb = "";
            }
            ?>

            <form action="<?php echo sefRelToAbs( 'index.php?option=logout' ); ?>" method="post" name="logout">
        <?php } ?>
        <input type="submit" name="Submit" class="mod_cdlogin-logoutbutton" title="<?php echo _BUTTON_LOGOUT; ?>"
        value="<?php echo _BUTTON_LOGOUT; ?>" />
        <?php echo $pole_phpbb; ?>
        <input type="hidden" name="option" value="logout" />
        <input type="hidden" name="op2" value="logout" />
        <input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
        <input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $logout ) ); ?>" />
        <input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_logout ); ?>" />

```

```

</form>
</div>
</div>
</div>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>
<?php
} else {
// Login output
// ie HTML when not logged in and trying to login
// used for spoof hardening
$validate = josSpoofValue(1);
?>
<?php cd_ifmambotload(); ?>
<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>
<div class="mod_cdlogin-login-box">
<div class="mod_cdlogin-login-mini"></div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-loginform' } )" title="<?php echo
$moduletitle ?>"><?php echo $moduletitle ?> </a>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>

<div class="highslide-html-content" id="highslide-html-loginform">
<div class="highslide-html-content-header">
<div class="highslide-move" title="">
<a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closeslabel ?>"><?php echo $closeslabel
?></a>
</div>
</div>
<div class="highslide-body">
<?php
/*****
sprawdzamy istnienie komponentu com_j-p
*****/
if (file_exists($phpbb_mostpath)) {
/*****
joomla<->przemo start
*****/
$query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
$database->setQuery( $query );
$forum_path_include = $database->loadResult(); ?>
<form action="<?php echo $forum_path_include; ?>/login.php" method="post" name="login" >
<?php
/*****
joomla<->przemo end
*****/
} else { ?>
<form action="<?php echo sefRelToAbs( 'index.php' ); ?>" method="post" name="loginForm" >
<?php } ?>
<?php
echo $pretext;
?>
<table width="100%" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td>
<label for="mod_login_username">
<?php echo _USERNAME; ?>
</label>
<br />
<input name="username" id="mod_cdlogin_username" type="text" class="inputbox" alt="username" size="10" />
<br />

```

```

<label for="mod_login_password">
<?php echo _PASSWORD; ?>
</label>
<br />
<input type="password" id="mod_cdlogin_password" name="passwd" class="inputbox" size="10" alt="password" />
<br />
<div class="mod_cdlogin-form-submit">
<div class="mod_cdlogin-form-input">
<input type="checkbox" name="remember" id="mod_cdlogin_remember" class="inputbox" value="yes" alt="<?php
echo _REMEMBER_ME; ?>" title="<?php echo _REMEMBER_ME; ?>" />
<label for="mod_login_remember">
<?php echo _REMEMBER_ME; ?>
</label>
</div>
<input type="submit" name="Submit" class="mod_cdlogin-loginbutton" title="<?php echo _BUTTON_LOGIN; ?>"
value="" />
</div>
</td>
</tr>
<tr>
<td>
<div style="text-align: center; padding-top: 10px">
<div style="margin: 0 auto">
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=lostPassword' ); ?>" title="<?php
echo $mod_cdlogin_lostpassword; ?>" class="mod_cdlogin-lostpassword"><?php echo $mod_cdlogin_lostpassword; ?>
</a><span style="padding-left: 15px">
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=register' ); ?>" title="<?php echo
$mod_cdlogin_createaccount; ?>" class="mod_cdlogin-createaccount"><?php echo $mod_cdlogin_createaccount; ?>
</a>
</div>
</div>
</td>
</tr>
<?php
if ( $registration_enabled ) {
?>
<tr>
<td>

</td>
</tr>
<?php
}
?>
</table>
<div class="mod_imglogin"></div>
<?php
if ($posttext != "") {
if ($posttext_style == 1) {
?>
<div style="border: 1px solid <?php echo $colorborder; ?>; padding: 2px;">
<?php echo $posttext; ?>
</div>
<?php
} else {
echo $posttext;
}
}
?>

<input type="hidden" name="option" value="login" />
<input type="hidden" name="op2" value="login" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $login ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_login ); ?>" />

```

```
<input type="hidden" name="force_session" value="1" />
<input type="hidden" name="<?php echo $validate; ?>" value="1" />
</form>
</div>
<?php if ($mod_cdlogin_displayauthor) { ?>
<div class="mod_cdttitle-designed">Designed by <a href="http://www.communicationpro.org"
title="http://www.communicationpro.org" target="_blank">www.communicationpro.org</a> </div>
<?php } return; ?>
</div>
<?php
}
?>
```

http://www.jokris.info/components/com_fireboard/uploaded/files/mod_cdlogin_phpbb.zip

Odp:Modu³ do logowania razem z forum

Autor: szymo93 - 2008/03/22 09:51

Witam!

Wielkie dzięki Jokris że Ci się chcia³o;)

A więc tak:

Loguj[±]c się na pierwszy rzut oka wszystko dzie³a tzn. modu³ przekierowuje mnie do strony z forum ale nie loguje mnie na niej ani na stronie z Joomla[±] tylko wyskakuje mi alert: "Uzupe³nij pola: Nazwa u³żytkownika(login) i Has³a.".

Zreszt[±] sam zobacz: <http://szymo.freens.pl>

U³żytkownik: test

Has³o: test

Pozdrawiam

szymo

P.S.

Sorry że nie uzupe³ni³em stopki:blush: Ale jako[¶] nie mia³em do tego g³owy:P

Ju³ uzupe³niam:laugh: